



To our Incredible Patients and Residents, their Families and Loved Ones, and our Dedicated Team Members,

We've all been encouraged by news of the development, successful testing, and approval of the first effective vaccines against COVID-19. We are pleased that our state has placed a top priority on distributing and administering the vaccine to skilled nursing centers.

We are very excited of this opportunity, as the health, safety, and wellness of our residents, patients, and staff is our top priority. In an effort of full transparency, we are doing everything we can to help facilitate the vaccination process.

We are grateful for our partnership with Walgreens, as this vaccination process will be both convenient and efficient for our residents, patients, and team members. An immunization clinic will be on-site at our community, where a team of pharmacy representatives will help us manage the immunization process. As always, we will continue to maintain our COVID-19 precautionary measures throughout this process.

Our incredible clinical team and frontline heroes continue to go above and beyond to ensure the safety and well-being of those that we care for and serve each and every day.

By receiving the COVID-19 vaccination, we will be protecting not only our own health and safety, but also the health, safety, and wellness of our loved ones, those who we serve, and our fellow neighbors in our local community.

As shared by the CDC (Centers for Disease Control and Prevention), here are several key facts regarding the COVID-19 vaccination:

- Getting vaccinated can help prevent you and others from getting sick with COVID-19. If you get sick, you may spread the disease to friends, family, and others around you while you're sick, but a COVID-19 vaccination helps protect you by creating an antibody response without having to experience sickness.
- COVID-19 vaccines will not give you COVID-19.
- COVID-19 vaccines will not cause you to test positive on COVID-19 viral tests.
- People who have gotten sick with COVID-19 may still benefit from getting vaccinated- experts aren't sure how long someone who has recovered from COVID-19 is protected from getting sick again.

Preliminary Vaccination Clinic Date: December 22nd (Subject to change)

We've all been in this together since the pandemic erupted in March, and it has forced us to consistently consider how to best protect ourselves and each other. This long-awaited COVID-19 vaccine provides us all with a great chance to move forward and stop the spread of the virus. Let's come together again and continue to look out for one another by getting vaccinated as soon as possible.

Sincerely,
Administration



A nuestros increíbles pacientes y residentes, sus familias y seres queridos, y nuestros dedicados miembros del equipo,

Todos nos sentimos alentados por las noticias sobre el desarrollo, las pruebas exitosas y la aprobación de las primeras vacunas efectivas contra COVID-19. Nos complace que nuestro estado haya otorgado máxima prioridad a la distribución y administración de la vacuna a los centros de enfermería especializada.

Estamos muy entusiasmados con esta oportunidad, ya que la salud, la seguridad y el bienestar de nuestros residentes, pacientes y personal es nuestra prioridad principal. En un esfuerzo de total transparencia, estamos haciendo todo lo posible para ayudar a facilitar el proceso de vacunación.

Estamos agradecidos por nuestra asociación con Walgreens, ya que este proceso de vacunación será conveniente y eficiente para nuestros residentes, pacientes y miembros del equipo. Habrá una clínica de inmunización en nuestra comunidad, donde un equipo de representantes de la farmacia nos ayudará a gestionar el proceso de vacunación. Como siempre, continuaremos manteniendo nuestras medidas de cuidado contra COVID-19 durante todo este proceso.

Nuestro increíble equipo clínico y los héroes de primera línea continúan yendo más allá para garantizar la seguridad y el bienestar de aquellos a quienes cuidamos y servimos todos los días.

Al recibir la vacuna de COVID-19, estaremos protegiendo no solo nuestra propia salud y seguridad, sino también la salud, seguridad y bienestar de nuestros seres queridos, aquellos a quienes servimos y nuestros vecinos en nuestra comunidad local.

Según lo compartido por el CDC (Centros para el Control y la Prevención de Enfermedades), aquí hay varios datos clave con respecto a la vacuna de COVID-19:

- La vacunación puede ayudar a evitar que usted y otras personas se enfermen con COVID-19. Si se enferma, puede transmitir la enfermedad a amigos, familiares y otras personas que lo rodean mientras está enfermo, pero la vacuna COVID-19 ayuda a protegerlo al crear una respuesta de anticuerpos sin tener que experimentar la enfermedad.
- Las vacunas de COVID-19 no le darán COVID-19.
- Las vacunas de COVID-19 no harán que la prueba del virus COVID-19 sea positiva.
- Las personas que se han enfermado con COVID-19 aún pueden beneficiarse de la vacuna; los expertos no están seguros de cuánto tiempo una persona que se ha recuperado del COVID-19 está protegida de enfermarse nuevamente.

Fecha de Clínica de Vacunación Preliminar: 22 de Diciembre (Sujeto a cambios)

Todos hemos estado juntos en esto desde que estalló la pandemia en marzo, y nos ha obligado a considerar constantemente la mejor manera de protegernos nosotros mismos y a los demás. Esta vacuna de COVID-19 tan esperada nos brinda a todos una gran oportunidad de avanzar y detener la propagación del virus. Unámonos de nuevo y sigamos cuidándonos unos a otros al vacunarnos lo antes posible.

Sinceramente,
Administración



Vaccines & Immunizations

Answering Patients' Questions

Some patients won't have questions about coronavirus disease 2019 (COVID-19) vaccination when you give your strong recommendation and use language that assumes patients will get vaccinated when doses are widely available. If a patient questions your recommendation about COVID-19 vaccination, this does not necessarily mean they will not accept a COVID-19 vaccine. This is a new vaccine, and some questions are to be expected. Your patients consider you their most trusted source of information when it comes to vaccines, and sometimes they simply want *your* answers to their questions.

This page outlines some topics patients ask about most vaccines and tips for how to answer their questions.



Questions about Vaccine Safety and the Speed of Vaccine Development

The federal government, under the umbrella of [Operation Warp Speed](#), has been working since the start of the pandemic to make a COVID-19 vaccine available as soon as possible. This accelerated timeline is unprecedented and has raised concerns for some people that safety may be sacrificed in favor of speed. However, as with all vaccines, safety is a top priority.

Patients may ask: How do we really know if COVID-19 vaccines are safe? To respond, you can explain how:

- The Food and Drug Administration (FDA) carefully reviews all safety data from clinical trials and authorizes emergency vaccine use only when the expected benefits outweigh potential risks.
- The Advisory Committee on Immunization Practices (ACIP) reviews all safety data before recommending any COVID-19 vaccine for use. [Learn how ACIP makes vaccine recommendations.](#)
- FDA and CDC will continue to monitor the safety of COVID-19 vaccines, to make sure even very rare side effects are identified.

Example:

COVID-19 vaccines were tested in large clinical trials to make sure they meet safety standards. Many people were recruited to participate in these trials to see how the vaccines offers protection to people of different ages, races, and ethnicities, as well as those with different medical conditions.



Questions about Whether It Is Better to Get Natural Immunity Rather than Immunity from Vaccines

Because some people with COVID-19 can have very mild symptoms, some may see natural infection as preferable to receiving a new vaccine. Others may be concerned that getting a COVID-19 vaccine could make a later illness worse. Help your patients understand the risks and benefits so they can be confident choosing to get vaccinated.

Patients may ask: Is the vaccine that helpful? I heard getting COVID-19 gives you better and longer immunity than the protection a vaccine can give. Can it actually make my illness worse if I do end up getting COVID-19? **To respond, you can:**

- Explain the potential serious risk COVID-19 infection poses to them and their loved ones if they get the illness or spread it to others. Remind them of the potential for long-term health issues after recovery from COVID-19 disease.
- Explain that scientists are still learning more about the virus that causes COVID-19. And it is not known whether getting COVID-19 disease will protect everyone against getting it again, or if it does, how long

whether getting COVID-19 disease will protect everyone against getting it again, or, if it does, how long that protection might last.

- Describe how the vaccine was tested in large clinical trials and what is currently known about its safety and effectiveness.

Be transparent that the vaccine is not a perfect fix. Patients will still need to practice other precautions like wearing a mask, social distancing, handwashing and other hygiene measures until public health officials say otherwise.

Example:

“Both this disease and the vaccine are new. We don’t know how long protection lasts for those who get infected or those who are vaccinated. What we do know is that COVID-19 has caused very serious illness and death for a lot of people. If you get COVID-19, you also risk giving it to loved ones who may get very sick. Getting a COVID-19 vaccine is a safer choice.”



Questions about Known Side Effects

Some COVID-19 vaccines may be more reactogenic than vaccines that people are familiar with. Information about specific side effects of the COVID-19 vaccine will be available when it is approved. It is important to set this expectation with your patient, in case they experience a strong reaction.

Patients may ask: How much will the shot hurt? Can it cause you to get very sick? **To respond, you can:**

- Explain what the most common side effects from vaccination are and how severe they may be.
- Provide a comparison if it is appropriate for the patient (for example, pain after receiving Shingrix for older adults who have received it).
- Make sure patients know that a fever is a potential side effect and when they should seek medical care.
- Let them know that symptoms typically go away on their own within a week. Also let them know when they should seek medical care if their symptoms don’t go away.
- Explain that the vaccine cannot give someone COVID-19.
- Explain that side effects are a sign that the immune system is working.

Example:

“Most people do not have serious problems after being vaccinated. We will understand more about mild side effects of the COVID-19 vaccine before we start to use it. However, your arm may be sore, red, or warm to the touch. These symptoms usually go away on their own within a week. Some people report getting a headache or fever when getting a vaccine. These side effects are a sign that your immune system is doing exactly what it is supposed to do. It is working and building up protection to disease.”



Questions about Unknown, Serious, Long-term Side Effects

Due to the relative speed with which these vaccines were developed, patients’ concerns about long-term side effects are reasonable and to be expected.

Patients may ask: How do we know that these vaccines are safe when they are so new? Couldn’t they cause problems that we don’t know about yet? What about long-term problems? **To respond, you can:**

- Explain how FDA and CDC are continuing to monitor safety, to make sure even long-term side effects are identified.

- Reassure patients that COVID-19 vaccines will be continuously monitored for safety after authorization, and ACIP will take action to address any safety problems detected.
- Compare the potential serious risk of COVID-19 infection to what is currently known about the safety of COVID-19 vaccines.

Example:

COVID-19 vaccines are being tested in large clinical trials to assess their safety. However, it does take time, and more people getting vaccinated before we learn about very rare or long-term side effects. That is why safety monitoring will continue. CDC has an independent group of experts that reviews all the safety data as it comes in and provides regular safety updates. If a safety issue is detected, immediate action will take place to determine if the issue is related to the COVID-19 vaccine and determine the best course of action.



How Many Doses Are Needed and Why?

All but one of the COVID-19 vaccines currently in phase 3 clinical trials use two shots. The same vaccine brand must be used for both shots.

Patients may ask: How many shots am I going to need? To respond, you can:

- Explain that two shots are generally needed to provide the best protection against COVID-19 and that the shots are given several weeks apart. The first shot primes the immune system, helping it recognize the virus, and the second shot strengthens the immune response.
- When applicable, explain the dosing options available in your office and advise the patient that they can set up an appointment before they leave to come back for a second dose.

Example:

Nearly all COVID-19 vaccines being studied in the United States require two shots. The first shot starts building protection, but everyone has to come back a few weeks later for the second one to get the most protection the vaccine can offer.

Other Questions Patients May Have about COVID-19 Vaccination

If you have additional questions from patients, reference [Frequently Asked Questions about COVID-19 Vaccination](#) for regularly updated answers to common questions.

Page last reviewed: November 2, 2020

COVID-19 (Coronavirus Disease)

[MENU >](#)

CASES ARE RISING.
ACT NOW!



WEAR A MASK



STAY 6 FEET APART



AVOID CROWDS

Importance of COVID-19 Vaccination for Residents of Long-term Care Facilities

Updated Dec. 21, 2020



Based on [recommendations](#) from the [Advisory Committee on Immunization Practices \(ACIP\)](#), an independent panel of medical and public health experts, CDC recommends residents of long-term care facilities (LTCF) be included among those offered the first supply of COVID-19 vaccines.

Vaccinating LTCF residents will save lives

Making sure LTCF residents can receive COVID-19 vaccination as soon as vaccines are available will help save the lives of those who are most at risk of dying from COVID-19. According to ACIP's recommendations, LTCF residents include adults who reside in facilities that provide a range of services, including medical and personal care, to persons who are unable to live independently. The communal nature of LTCFs and the population served (generally older adults often with underlying medical conditions) puts facility residents at increased risk of infection and severe illness from COVID-19. By November 6, 2020, [approximately 569,000–616,000 COVID-19 cases and 91,500 deaths](#) were reported among LTCF residents and staff members in the United States, accounting for 39% of deaths nationwide.

Benefits of vaccination believed to outweigh possible risks

All COVID-19 vaccines were tested in clinical trials involving tens of thousands of people to make sure they meet safety standards and protect adults of different races, ethnicities, and ages, including adults over the age of 65, participated in the clinical trials. There were no serious safety concerns. The most common side effects were pain at the injection site and signs and symptoms like fever and chills. After a review of all the available information, ACIP and CDC agreed the lifesaving benefits of COVID-19 vaccination for LTCF residents outweigh the risks of possible side effects.

The safety of COVID-19 vaccines is a top priority

To help make important unapproved medical products, including vaccines, available quickly during the [COVID-19](#) pandemic, the US Food and Drug Administration (FDA) can use what is known as an [Emergency Use Authorization \(EUA\)](#) [↗](#). Before any vaccine can be authorized for use under an EUA, FDA must determine that the vaccine's benefits outweigh possible risks.

CDC and FDA are monitoring vaccine safety closely. The United States is using existing robust systems and data sources to conduct ongoing safety monitoring. An additional layer of safety monitoring has also been added that allows CDC and FDA to evaluate COVID-19 vaccine safety almost immediately. Learn more about [COVID-19 vaccine safety monitoring](#).

For LTCFs in particular, CDC will work with pharmacies and other partners to report possible side effects (called adverse events) to the [Vaccine Adverse Event Reporting System \(VAERS\)](#) [↗](#). Facility staff and residents' families are encouraged to also report any adverse events immediately.

CDC is working with pharmacies and other partners to provide communication materials to help LTCFs educate residents and their families about the vaccine, answer their questions about vaccine safety and other issues, and prepare them for vaccination clinics. For some COVID-19 vaccines, two shots are needed to provide the best protection, and the shots are given several weeks apart. Each recipient or caregiver will receive a vaccination record card to ensure they receive the correct vaccine for the second dose.

Risks and benefits will be explained to everyone offered a COVID-19 vaccination

Explaining the risks and benefits of any treatments to a patient – in a way that they understand – is the standard of care. Written consent is not required by federal law for COVID-19 vaccination in the United States; however, COVID-19 vaccine providers should consult with their own legal counsel for state requirements related to consent. In LTCFs, consent or assent for vaccination should be obtained from residents (or the person appointed to make medical decisions on their behalf) and documented in the resident's chart per standard practice.

Pharmacy partners that are administering COVID-19 vaccine at LTCFs as part of the [Federal Pharmacy Partnership for Long-term Care Program](#) may require verbal, email, or written consent from recipients before vaccination. This is at the discretion of the pharmacy. LTCF administrators can request pharmacy partners obtain consent from residents' families in advance when they are serving as medical proxies.

Pharmacy partners will also work directly with LTCFs to ensure staff and residents who receive the vaccine also receive an EUA fact sheet before vaccination. The EUA fact sheet explains the risks and benefits of the COVID-19 vaccine they are receiving and what to expect. Each LTCF resident's medical chart must note that this information was provided to the resident. If a resident is unable to make medical decisions due to decreased mental capacity or illness, the EUA fact sheet will be provided to the person appointed to make medical decisions on their behalf (the medical proxy or power of attorney).

Last Updated Dec. 21, 2020

FACT SHEET FOR RECIPIENTS AND CAREGIVERS

EMERGENCY USE AUTHORIZATION (EUA) OF THE PFIZER-BIONTECH COVID-19 VACCINE TO PREVENT CORONAVIRUS DISEASE 2019 (COVID-19) IN INDIVIDUALS 16 YEARS OF AGE AND OLDER

You are being offered the Pfizer-BioNTech COVID-19 Vaccine to prevent Coronavirus Disease 2019 (COVID-19) caused by SARS-CoV-2. This Fact Sheet contains information to help you understand the risks and benefits of the Pfizer-BioNTech COVID-19 Vaccine, which you may receive because there is currently a pandemic of COVID-19.

The Pfizer-BioNTech COVID-19 Vaccine is a vaccine and may prevent you from getting COVID-19. There is no U.S. Food and Drug Administration (FDA) approved vaccine to prevent COVID-19.

Read this Fact Sheet for information about the Pfizer-BioNTech COVID-19 Vaccine. Talk to the vaccination provider if you have questions. It is your choice to receive the Pfizer-BioNTech COVID-19 Vaccine.

The Pfizer-BioNTech COVID-19 Vaccine is administered as a 2-dose series, 3 weeks apart, into the muscle.

The Pfizer-BioNTech COVID-19 Vaccine may not protect everyone.

This Fact Sheet may have been updated. For the most recent Fact Sheet, please see www.cvdvaccine.com.

WHAT YOU NEED TO KNOW BEFORE YOU GET THIS VACCINE?

WHAT IS COVID-19?

COVID-19 disease is caused by a coronavirus called SARS-CoV-2. This type of coronavirus has not been seen before. You can get COVID-19 through contact with another person who has the virus. It is predominantly a respiratory illness that can affect other organs. People with COVID-19 have had a wide range of symptoms reported, ranging from mild symptoms to severe illness. Symptoms may appear 2 to 14 days after exposure to the virus. Symptoms may include: fever or chills; cough; shortness of breath; fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.

WHAT IS THE PFIZER-BIONTECH COVID-19 VACCINE?

The Pfizer-BioNTech COVID-19 Vaccine is an unapproved vaccine that may prevent COVID-19. There is no FDA-approved vaccine to prevent COVID-19.

The FDA has authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 years of age and older under an Emergency Use Authorization (EUA).

For more information on EUA, see the “**What is an Emergency Use Authorization (EUA)?**” section at the end of this Fact Sheet.

WHAT SHOULD YOU MENTION TO YOUR VACCINATION PROVIDER BEFORE YOU GET THE PFIZER-BIONTECH COVID-19 VACCINE?

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received another COVID-19 vaccine

WHO SHOULD GET THE PFIZER-BIONTECH COVID-19 VACCINE?

FDA has authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine in individuals 16 years of age and older.

WHO SHOULD NOT GET THE PFIZER-BIONTECH COVID-19 VACCINE?

You should not get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine.

WHAT ARE THE INGREDIENTS IN THE PFIZER-BIONTECH COVID-19 VACCINE?

The Pfizer-BioNTech COVID-19 Vaccine includes the following ingredients: mRNA, lipids ((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate), 2 [(polyethylene glycol)-2000]-N,N-ditetradecylacetamide, 1,2-Distearoyl-sn-glycero-3-phosphocholine, and cholesterol), potassium chloride, monobasic potassium phosphate, sodium chloride, dibasic sodium phosphate dihydrate, and sucrose.

HOW IS THE PFIZER-BIONTECH COVID-19 VACCINE GIVEN?

The Pfizer-BioNTech COVID-19 Vaccine will be given to you as an injection into the muscle.

The Pfizer-BioNTech COVID-19 Vaccine vaccination series is 2 doses given 3 weeks apart.

If you receive one dose of the Pfizer-BioNTech COVID-19 Vaccine, you should receive a second dose of this same vaccine 3 weeks later to complete the vaccination series.

HAS THE PFIZER-BIONTECH COVID-19 VACCINE BEEN USED BEFORE?

The Pfizer-BioNTech COVID-19 Vaccine is an unapproved vaccine. In clinical trials, approximately 20,000 individuals 16 years of age and older have received at least 1 dose of the Pfizer-BioNTech COVID-19 Vaccine.

WHAT ARE THE BENEFITS OF THE PFIZER-BIONTECH COVID-19 VACCINE?

In an ongoing clinical trial, the Pfizer-BioNTech COVID-19 Vaccine has been shown to prevent COVID-19 following 2 doses given 3 weeks apart. The duration of protection against COVID-19 is currently unknown.

WHAT ARE THE RISKS OF THE PFIZER-BIONTECH COVID-19 VACCINE?

Side effects that have been reported with the Pfizer-BioNTech COVID-19 Vaccine include:

- injection site pain
- tiredness
- headache
- muscle pain
- chills
- joint pain
- fever
- injection site swelling
- injection site redness
- nausea
- feeling unwell
- swollen lymph nodes (lymphadenopathy)

There is a remote chance that the Pfizer-BioNTech COVID-19 Vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the Pfizer-BioNTech COVID-19 Vaccine.

Signs of a severe allergic reaction can include:

- Difficulty breathing
- Swelling of your face and throat
- A fast heartbeat
- A bad rash all over your body
- Dizziness and weakness

These may not be all the possible side effects of the Pfizer-BioNTech COVID-19 Vaccine. Serious and unexpected side effects may occur. Pfizer-BioNTech COVID-19 Vaccine is still being studied in clinical trials.

WHAT SHOULD I DO ABOUT SIDE EFFECTS?

If you experience a severe allergic reaction, call 9-1-1, or go to the nearest hospital.

Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

Report vaccine side effects to **FDA/CDC Vaccine Adverse Event Reporting System (VAERS)**. The VAERS toll-free number is 1-800-822-7967 or report online to <https://vaers.hhs.gov/reportevent.html>. Please include “Pfizer-BioNTech COVID-19 Vaccine EUA” in the first line of box #18 of the report form.

In addition, you can report side effects to Pfizer Inc. at the contact information provided below.

Website	Fax number	Telephone number
www.pfizersafetyreporting.com	1-866-635-8337	1-800-438-1985

WHAT IF I DECIDE NOT TO GET THE PFIZER-BIONTECH COVID-19 VACCINE?

It is your choice to receive or not receive the Pfizer-BioNTech COVID-19 Vaccine. Should you decide not to receive it, it will not change your standard medical care.

ARE OTHER CHOICES AVAILABLE FOR PREVENTING COVID-19 BESIDES PFIZER-BIONTECH COVID-19 VACCINE?

Currently, there is no approved alternative vaccine available for prevention of COVID-19. FDA may allow the emergency use of other vaccines to prevent COVID-19.

CAN I RECEIVE THE PFIZER-BIONTECH COVID-19 VACCINE WITH OTHER VACCINES?

There is no information on the use of the Pfizer-BioNTech COVID-19 Vaccine with other vaccines.

WHAT IF I AM PREGNANT OR BREASTFEEDING?

If you are pregnant or breastfeeding, discuss your options with your healthcare provider.

WILL THE PFIZER-BIONTECH COVID-19 VACCINE GIVE ME COVID-19?

No. The Pfizer-BioNTech COVID-19 Vaccine does not contain SARS-CoV-2 and cannot give you COVID-19.


KEEP YOUR VACCINATION CARD

When you get your first dose, you will get a vaccination card to show you when to return for your second dose of Pfizer-BioNTech COVID-19 Vaccine. Remember to bring your card when you return.

ADDITIONAL INFORMATION

If you have questions, visit the website or call the telephone number provided below.

To access the most recent Fact Sheets, please scan the QR code provided below.

Global website	Telephone number
www.cvdvaccine.com 	1-877-829-2619 (1-877-VAX-CO19)

HOW CAN I LEARN MORE?

- Ask the vaccination provider.
- Visit CDC at <https://www.cdc.gov/coronavirus/2019-ncov/index.html>.
- Visit FDA at <https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/emergency-use-authorization>.
- Contact your local or state public health department.

WHERE WILL MY VACCINATION INFORMATION BE RECORDED?

The vaccination provider may include your vaccination information in your state/local jurisdiction's Immunization Information System (IIS) or other designated system. This will ensure that you receive the same vaccine when you return for the second dose. For more information about IISs visit: <https://www.cdc.gov/vaccines/programs/iis/about.html>.

WHAT IS THE COUNTERMEASURES INJURY COMPENSATION PROGRAM?

The Countermeasures Injury Compensation Program (CICP) is a federal program that may help pay for costs of medical care and other specific expenses of certain people who have been seriously injured by certain medicines or vaccines, including this vaccine. Generally, a claim must be submitted to the CICP within one (1) year from the date of receiving the vaccine. To learn more about this program, visit www.hrsa.gov/cicp/ or call 1-855-266-2427.

WHAT IS AN EMERGENCY USE AUTHORIZATION (EUA)?

The United States FDA has made the Pfizer-BioNTech COVID-19 Vaccine available under an emergency access mechanism called an EUA. The EUA is supported by a Secretary of Health and Human Services (HHS) declaration that circumstances exist to justify the emergency use of drugs and biological products during the COVID-19 pandemic.

The Pfizer-BioNTech COVID-19 Vaccine has not undergone the same type of review as an FDA-approved or cleared product. FDA may issue an EUA when certain criteria are met, which includes that there are no adequate, approved, available alternatives. In addition, the FDA decision is based on the totality of scientific evidence available showing that the product may be effective to prevent COVID-19 during the COVID-19 pandemic and that the known and potential benefits of the product outweigh the known

and potential risks of the product. All of these criteria must be met to allow for the product to be used in the treatment of patients during the COVID-19 pandemic.

The EUA for the Pfizer-BioNTech COVID-19 Vaccine is in effect for the duration of the COVID-19 EUA declaration justifying emergency use of these products, unless terminated or revoked (after which the products may no longer be used).



Manufactured by
Pfizer Inc., New York, NY 10017

BIONTECH

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany

LAB-1451-1.0

Revised: December 2020



Scan to capture that this Fact Sheet was provided to vaccine recipient for the electronic medical records/immunization information systems.

Barcode Date: 12/2020

Vaccine Administration Record (VAR)

Informed Consent for Vaccination in Long Term Care Facility (LTCF)



SECTION A-1 Please print clearly.

First name: _____ Last name: _____

Date of birth: _____ Age: _____ Gender: Female Male Phone: _____

LTCF Name: _____ Address: _____

City: _____ State: _____ ZIP code: _____ Patient Email address: _____

I want to receive the following vaccination(s): **COVID-19 Vaccination**

SECTION A-2 I certify that I am: (a) the patient and at least 18 years of age; (b) the legal guardian of the patient; or (c) a person authorized to consent on behalf of the patient where the patient is not otherwise competent or unable to consent for themselves. Further, I hereby give my consent to Walgreens or Duane Reade and the licensed healthcare professional administering the vaccine, as applicable (each an "applicable Provider"), to administer the vaccine(s) I have requested above. I understand that it is not possible to predict all possible side effects or complications associated with receiving vaccine(s). I understand the risks and benefits associated with the above vaccine(s) and have received, read and/or had explained to me the EUA Fact Sheet on the vaccine(s) I have elected to receive. I also acknowledge that I have had a chance to ask questions and that such questions were answered to my satisfaction. Further, I acknowledge that I have been advised that the patient should remain near the vaccination location for observation for approximately 15 minutes after administration. On behalf of the patient, the patient's heirs and personal representatives, I hereby release and hold harmless each applicable Provider, its staff, agents, successors, divisions, affiliates, subsidiaries, officers, directors, contractors and employees from any and all liabilities or claims whether known or unknown arising out of, in connection with, or in any way related to the administration of the vaccine(s) listed above.

I acknowledge that: (a) I understand the purposes/benefits of my state's vaccination registry ("State Registry") and my state's health information exchange ("State HIE"); and (b) the applicable Provider may disclose my vaccination information to the State Registry, to the State HIE, or through the State HIE to the State Registry, or to any state or federal governmental agencies or authorities ("Government Agencies"), such as state, county, or local Departments of Health or the federal Department of Health and Human Services, the Center for Disease Control and Prevention, or their respective designees as may be required by law, for purposes of public health reporting, or to my healthcare providers enrolled in the State Registry and/or State HIE for purposes of care coordination. I acknowledge that, depending upon my state's law, I may prevent, by using a state-approved opt-out form or, as permitted by my state law, an opt-out form ("Opt-Out Form") furnished by the applicable Provider: (a) the disclosure of my vaccination information by the applicable Provider to the State HIE and/or State Registry; or (b) the State HIE and/or State Registry from sharing my vaccination information with any of my other healthcare providers enrolled in the State Registry and/or State HIE. The applicable Provider will, if my state permits, provide me with an Opt-Out Form. I understand that, depending on my state's law, I may need to specifically consent, and, to the extent required by my state's law, by signing below, I hereby do consent to the applicable Provider reporting my vaccination information to the Government Agencies, State HIE, or through the State HIE and/or State Registry to the entities and for the purposes described in this Informed Consent form. Unless I provide the applicable Provider with a signed Opt-Out Form, I understand that my consent will remain in effect until I withdraw my permission and that I may withdraw my consent by providing a completed Opt-Out Form to the applicable Provider and/or my State HIE, as applicable.

I understand that even if I do not consent or if I withdraw my consent, my state's laws or federal law may permit certain disclosures of my vaccination information to or through the State HIE or to Government Agencies as required or permitted by law. I further authorize the applicable Provider to: (a) release my medical or other information, including any communicable disease (including HIV), and mental health information, to, or through, the State HIE or Government Agencies to my healthcare professionals, Medicare, Medicaid, or other third-party payer as necessary to effectuate care or payment; (b) submit a claim to my insurer for the above requested items and services; and (c) request payment of authorized benefits be made on my behalf to the applicable Provider with respect to the above requested items and services. I further agree to be fully financially responsible for any cost-sharing amounts, including copays, coinsurance and deductibles, for the requested items and services, as well as for any requested items and services not covered by my insurance benefits. I understand that any payment for which I am financially responsible is due at the time of service or, if the applicable Provider invoices me after the time of service, upon receipt of such invoice. Walgreens may disclose your vaccination information from this visit for public health purposes and will send this information to the Medical Director or Administrator of the LTCF identified above. If you are an employee of the LTCF, Walgreens will send your vaccination information to your employer as required.

Print Name: _____ Patient/Authorized Person signature: _____ Date: _____

SECTION B-1

SCREENING QUESTIONS. The following questions will help us determine your eligibility to be vaccinated today.

1. Do you feel sick today? Yes No Don't know
2. Do you have any health conditions, such as heart disease, diabetes or asthma?
If yes, please list: _____ Yes No Don't know
3. Do you have allergies to latex, medications, food or vaccines (examples: eggs, bovine protein, gelatin, gentamicin, polymyxin, neomycin, phenol, yeast or thimerosal)?
If yes, please list: _____ Yes No Don't know
4. Have you ever had a reaction after receiving a vaccination, including fainting or feeling dizzy? Yes No Don't know
5. Have you ever had a seizure disorder for which you are on seizure medication(s), a brain disorder, Guillain-Barré syndrome (a condition that causes paralysis) or other nervous system problem? Yes No Don't know
6. **For women:** Are you pregnant or considering becoming pregnant in the next month? Yes No Don't know

SECTION B-2 I certify that I am: (a) the patient and at least 18 years of age; (b) the legal guardian of the patient or representative of; or (c) a representative of the LTCF and, based upon clinical observation, have sufficient knowledge of the patient's condition to answer the Screening Questions. I also acknowledge that I have had a chance to ask questions and that such questions were answered to my satisfaction.

Patient/LTCF Representative: _____ Date: _____

SECTION C INSURANCE – PATIENT TO COMPLETE IF APPLICABLE

Please ensure to record BOTH pharmacy AND medical insurance information since there are multiple ways immunizations can be billed at Walgreens.

Non-Medicare:	Pharmacy Card	Medical Card	Medicare:	Medicare Part B
Insurance Plan/Plan ID:			Medicare Number*:	
Member/Recipient ID #:			*Medicare Claim Number for cards distributed earlier than 2018.	
RX BIN:		N/A		
RX PCN:		N/A		
Group Number:				

Is the patient the cardholder? Yes No

If no, please provide cardholders name, date of birth (MM/DD/YYYY) and relationship: _____

SECTION D HEALTHCARE PROVIDER ONLY

Complete **BEFORE** vaccine administration

- I have reviewed the **Patient Information** and **Screening Questions**. Initial here: _____
- I have verified that this is the **vaccine requested** by the patient. Initial here: _____
- This vaccine is appropriate for this patient based on the **Age Guidelines and Other Guidelines** provided by federal and/or state regulations and company policies. Initial here: _____
 - Does this patient have a high-risk medical condition? Yes No
If yes, please list medical condition(s): _____
- The **Vaccine NDC matches** the NDC on the bottom of this VAR form and the NDC on the patient leaflet. (Perform **3-way NDC match**.) Initial here: _____
- I have verified the **Expiration Date** is greater than today's date and have entered the **Lot # and Expiration Date** in the field below. Initial here: _____

SECTION E Complete DURING the patient interaction

- I confirm(ed) the patient's **Name, DOB and Requested Vaccine** and verified it matches the information on the VAR form. Initial here: _____
- I have reviewed the **Screening Questions** and answers. Initial here: _____
- I provided a **EUA Fact Sheet** to the patient or the LTCF representative. Initial here: _____

SECTION F

Complete **AFTER** vaccine administration

Vaccine	NDC	Manufacturer	Dosage	<input type="checkbox"/> Dose 1	Site of administration	EUA Fact Sheet published date
				<input type="checkbox"/> Dose 2		

Clinician's name (print): _____ Clinician's signature: _____ Title: _____

If applicable, intern/tech name (print): _____ Administration date: _____ Date EUA Fact Sheet given to patient: _____

COVID-19 VACCINE LOT# _____ COVID-19 VACCINE EXPIRATION DATE _____

- Update the patient's record with any new allergy, health condition or primary care provider information.
- Enter vaccine lot #, expiration date and site of administration, then scan the VAR form into the patient's record.